SAFETY DATA SHEET



1. Identification

Product identifier Val-Tex 80, Val-Tex 80-S

Other means of identification

Synonyms Includes sticks of all sizes and bulk packaging.

Recommended use Valve lubricant and sealant.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Val-Tex, LLC; 15431 Vantage Pkwy E. Suite 210; Houston, Texas 77032; United States Manufacturer/Supplier

Telephone 1.800.627.9771

sales.val-tex@cmcmaterials.com E-mail

Representative CMC Materials; Amber Business Centre; Riddings Alfreton Derbyshire DE55 4DA; United

Kingdom

+44 (0) 1773 844200 **Telephone**

E-mail sales.val-tex@cmcmaterials.com

Representative CMC Materials; Les Vieilles Hayes; 50620 Saint Fromond; France

+33 (0) 2 33 75 64 00 **Telephone**

E-mail sales.val-tex@cmcmaterials.com

Distributor CMC Materials Sealweld Canada, INC.; Bay 106, 4116 64th Ave.S.E., Calgary, AB, T2C 2B3

Telephone 1.800.661.8465

sales.val-tex@cmcmaterials.com E-mail

Emergency phone number

3E Global Incident **Response Hotline**

> +1 760.476.3962 Canada +1 760.476.3962 International

Access code 333035

CHEMTREC For Dangerous Goods Incidents ONLY (spill, leak, fire, exposure or accident), call

CHEMTREC 24/7 at:

Canada, USA 1.800.424.9300 International +1.703.741.5970

2. Hazard identification

Not classified. Physical hazards **Health hazards** Not classified.

Label elements

Hazard symbol None. None. Signal word

Hazard statement The mixture does not meet the criteria for classification.

Precautionary statement

Prevention Observe good industrial hygiene practices.

Wash hands after handling. Response

Store away from incompatible materials. Storage

Disposal Dispose of waste and residues in accordance with local authority requirements.

Val-Tex 80, Val-Tex 80-S SDS Canada 940919 Version #: 02

Other hazards

None known.

3. Composition/information on ingredients

Mixtures

The components are not hazardous or are below required disclosure limits.

4. First-aid measures

Move to fresh air. Call a physician if symptoms develop or persist. Inhalation

Wash off with soap and water. Get medical attention if irritation develops and persists. Skin contact

Eve contact Rinse with water. Get medical attention if irritation develops and persists.

Rinse mouth. Get medical attention if symptoms occur. Ingestion Most important Direct contact with eyes may cause temporary irritation.

symptoms/effects, acute and

delayed

Treat symptomatically.

Indication of immediate medical attention and special

treatment needed

General information

Remove and isolate contaminated clothing and shoes. Clothing contaminated with this product

may spontaneously catch fire if improperly discarded. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet

Porous material such as rags, paper, insulation, or organic clay may spontaneously combust when wetted with this material. During fire, gases hazardous to health may be formed. Combustion

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Do not point solid water stream directly into burning oil to avoid spreading. Water may be

to the doctor in attendance.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Specific hazards arising from

the chemical

Special protective equipment

and precautions for firefighters

Specific methods General fire hazards

Fire fighting equipment/instructions

Will burn if involved in a fire. Spontaneous combustion can occur.

ineffective in fighting an oil fire unless used by experienced firefighters.

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.

products may include: carbon oxides, silicon oxides.

Use standard firefighting procedures and consider the hazards of other involved materials.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

The product is immiscible with water and will sediment in water systems. Stop the flow of material, if this is without risk. Contain the discharged material. Shovel the material into waste container. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS. Clean contaminated area with oil-removing material. Rags, steel wool, or waste contaminated with this product may spontaneously catch fire if improperly discarded. Used rags or other cleaning materials should be soaked with water and placed in a sealed container.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Porous material such as rags, paper, insulation, or organic clay may spontaneously combust when wetted with this material. May auto-oxidize with sufficient heat generation to ignite if spread (as a thin film) or absorbed on porous or fibrous material. Contaminated rags and cloths must be put in fireproof containers for disposal. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store in tightly closed container. Store away from incompatible materials (see section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

No exposure limits noted for ingredient(s).

No biological exposure limits noted for the ingredient(s). **Biological limit values**

Val-Tex 80, Val-Tex 80-S SDS Canada Issue date: 03-November-2017

Exposure guidelines

Appropriate engineering

controls

Occupational Exposure Limits are not relevant to the current physical form of the product.

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been

established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Wear appropriate chemical resistant gloves. Hand protection

Other Wear suitable protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Solid. **Physical state Form** Semi-solid. Amber. Colour

Odour Slight castor oil smell.

Property has not been measured. **Odour threshold** Ha Property has not been measured. Melting point/freezing point Property has not been measured. Initial boiling point and boiling Property has not been measured.

Flash point

range

> 271.111 °C (> 520 °F) Cleveland open cup

Property has not been measured. **Evaporation rate** Flammability (solid, gas) Will burn if involved in a fire.

Upper/lower flammability or explosive limits

Explosive limit - lower (%) Property has not been measured. Explosive limit - upper Property has not been measured.

(%)

Vapour pressure Property has not been measured. Property has not been measured. Vapour density

Relative density 1.02 - 1.08 (H20=1)

Solubility(ies)

Solubility (water) Insoluble in water.

Partition coefficient Property has not been measured.

(n-octanol/water)

Property has not been measured. **Auto-ignition temperature Decomposition temperature** Property has not been measured. **Viscosity** Property has not been measured.

Other information

Density Property has not been measured.

Not explosive. **Explosive properties**

Property has not been measured. Kinematic viscosity

Not oxidising. Oxidising properties

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Material is stable under normal conditions. Chemical stability

Val-Tex 80, Val-Tex 80-S SDS Canada Possibility of hazardous

reactions

Porous material such as rags, paper, insulation, or organic clay may spontaneously combust when

wetted with this material.

Conditions to avoid

Contact with incompatible materials.

Incompatible materials

Strong oxidizers.

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation Vapor from heated material or mist may cause respiratory irritation.

Skin contact Prolonged skin contact may cause temporary irritation. Eye contact Direct contact with eyes may cause temporary irritation.

May cause discomfort if swallowed. Ingestion

Information on toxicological effects

Acute toxicity Not expected to be acutely toxic.

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation. Serious eye damage/eye Direct contact with eyes may cause temporary irritation.

irritation

Respiratory or skin sensitisation

Respiratory sensitisation Not a respiratory sensitiser.

Skin sensitisation This product is not expected to cause skin sensitisation.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Not classifiable as to carcinogenicity to humans. Carcinogenicity

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Due to the physical form of the product it is not expected to be an aspiration hazard.

Further information The product contains a substance with endocrine disrupting properties.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

No data is available on the degradability of this product. Persistence and degradability

Bioaccumulative potential No data available on bioaccumulation.

Mobility in soil The product is insoluble in water. Expected to have low mobility in soil. Other adverse effects The product contains a substance with endocrine disrupting properties.

13. Disposal considerations

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. **Disposal instructions**

> Porous combustible material contaminated with this product must be collected in a tightly closed metal container. Cover with water, or a solution of water and detergent. Store in a cool place.

Protect from heat and direct sunlight.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose in accordance with local regulations. Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must

be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

Val-Tex 80, Val-Tex 80-S SDS Canada

14. Transport information

TDG

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to

Not applicable.

Annex II of MARPOL 73/78 and

the IBC Code

15. Regulatory information

Canadian regulations

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

Controlled Drugs and Substances Act

Not regulated.

Export Control List (CEPA 1999, Schedule 3)

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

International regulations

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto Protocol

Not applicable.

Montreal Protocol

Not applicable.

Basel Convention

Not applicable.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing

Toxic Substances Control Act (TSCA) Inventory

16. Other information

country(s).

United States & Puerto Rico

Issue date 03-November-2017 **Revision date** 06-August-2021

Val-Tex 80, Val-Tex 80-S

940919 Version #: 02 Issue date: 03-November-2017 Revision date: 06-August-2021

Yes

Version No.

02

Disclaimer

CMC Materials Val-Tex cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.

Val-Tex 80, Val-Tex 80-S SDS Canada