SAFETY DATA SHEET



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

of the mixture

Val-Tex 80+FTFE and Val-Tex 80+FTFE-S

Registration number

Synonyms Includes sticks of all sizes and bulk packaging.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Luhe sealant Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Manufacturer/Supplier Val-Tex, LLC; 15431 Vantage Pkwy E. Suite 210; Houston, Texas 77032

Telephone 1 800 627 9771

E-mail sales.val-tex@cmcmaterials.com

Representative CMC Materials; Amber Business Centre; Riddings Alfreton Derbyshire DE55 4DA; United

Kingdom

Telephone +44 (0) 1773 844200

E-mail sales.val-tex@cmcmaterials.com

Representative CMC Materials; Les Vieilles Hayes; 50620 Saint Fromond; France

+33 (0) 2 33 75 64 00 **Telephone**

sales.val-tex@cmcmaterials.com E-mail

Distributor CMC Materials Sealweld Canada, INC.; Bay 106, 4116 64th Ave.S.E., Calgary, AB, T2C 2B3

1.800.661.8465 Telephone

E-mail sales.val-tex@cmcmaterials.com

1.4 Emergency telephone

number

General in EU 112 (Available 24 hours a day. SDS/Product information may not be available for the

Emergency Service.)

3E Global Incident **Response Hotline**

> +1.760.476.3961 **Europe** +1.760.476.3962 International

Access code 333035

CHEMTREC For Dangerous Goods Incidents ONLY (spill, leak, fire, exposure or accident), call

CHEMTREC 24/7 at:

+44 (0) 1235 239670 FU +1.703.741.5970 International

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Hazard pictograms None. Signal word

Val-Tex 80+FTFE and Val-Tex 80+FTFE-S

Hazard statements The mixture does not meet the criteria for classification.

SDS EU

Precautionary statements

Prevention Observe good industrial hygiene practices.

Response Wash hands after handling

Store away from incompatible materials. Storage

Disposal Dispose of waste and residues in accordance with local authority requirements.

Supplemental information on

the label

After prolonged contact with highly porous materials, this product may spontaneously combust.

2.3. Other hazards This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII.

This product contains components considered to have endocrine disrupting properties for environment, according to REACH Article 57(f), Regulation (EU) 2018/605 or Regulation (EU)

2017/2100.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Nonylphenol ethoxylate	0,7	9016-45-9 500-024-6	-	-	ED

Classification: Skin Irrit. 2;H315, Eye Irrit. 2;H319, STOT SE 3;H335

List of abbreviations and symbols that may be used above

ED: Endocrine disruptor

The full text for all H-statements is displayed in section 16. **Composition comments**

All concentrations are in percent by weight unless otherwise indicated.

Components not listed are either non-hazardous or are below reportable limits.

SECTION 4: First aid measures

Remove and isolate contaminated clothing and shoes. Clothing contaminated with this product **General information**

> may spontaneously catch fire if improperly discarded. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet

to the doctor in attendance.

4.1. Description of first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Wash off with soap and water. Get medical attention if irritation develops and persists. Skin contact

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

4.2. Most important symptoms and effects, both acute and

delaved

Direct contact with eyes may cause temporary irritation.

4.3. Indication of any immediate medical attention and special treatment needed Treat symptomatically.

SECTION 5: Firefighting measures

General fire hazards Will burn if involved in a fire. Spontaneous combustion can occur.

5.1. Extinguishing media

Suitable extinguishing

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing

media

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Porous material such as rags, paper, insulation, or organic clay may spontaneously combust when wetted with this material. During fire, gases hazardous to health may be formed. Combustion products may include: carbon oxides, fluorocarbons, silicon oxides.

5.3. Advice for firefighters

Special protective equipment for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire fighting procedures

Do not point solid water stream directly into burning oil to avoid spreading. Water may be ineffective in fighting an oil fire unless used by experienced firefighters.

Use standard firefighting procedures and consider the hazards of other involved materials. Specific methods

932607 Version #: 02 Revision date: 06-August-2021 Issue date: 18-April-2018 2/9

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

For emergency responders

personnel

Wear appropriate personal protective equipment.

Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during

clean-up. For personal protection, see section 8 of the SDS.

6.2. Environmental precautions Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

The product is immiscible with water and will sediment in water systems. Stop the flow of material, if this is without risk. Contain the discharged material. Shovel the material into waste container. Following product recovery, flush area with water. Clean contaminated area with oil-removing material. Rags, steel wool, or waste contaminated with this product may spontaneously catch fire if improperly discarded. Used rags or other cleaning materials should be soaked with water and

placed in a sealed container.

Type

6.4. Reference to other

sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe

handling

Porous material such as rags, paper, insulation, or organic clay may spontaneously combust when wetted with this material. May auto-oxidize with sufficient heat generation to ignite if spread (as a thin film) or absorbed on porous or fibrous material. Contaminated rags and cloths must be put in fireproof containers for disposal. Observe good industrial hygiene practices.

Value

Form

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed container. Store away from incompatible materials (see section 10 of the

SDS).

7.3. Specific end use(s)

Lubricant.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Components

Occupational exposure limits Austria. MAK List

Components	туре	value	Form
Amorphous silica (CAS 112945-52-5)	MAK	4 mg/m3	Inhalable fraction.
Bulgaria. OELs. Regulation No 1	3 on protection of workers aga	inst risks of exposure to chen	nical agents at work
Components	Туре	Value	Form
Amorphous silica (CAS 112945-52-5)	TWA	10 mg/m3	Inhalable fraction.
		0,07 mg/m3	Respirable fraction.
Croatia. Dangerous Substance I	Exposure Limit Values in the W	orkplace (ELVs), Annexes 1 a	nd 2, Narodne Novine, 13/0
Components	Туре	Value	Form
Amorphous silica (CAS 112945-52-5)	MAC	6 mg/m3	Total dust.
		0,1 mg/m3	Respirable dust.
Cyprus. OELs. Control of factor	y atmosphere and dangerous s	ubstances in factories regulat	ion, PI 311/73, as amended
Components	Туре	Value	,
Amorphous silica (CAS 112945-52-5)	TWA	2 mg/m3	
Czech Republic. OELs. Governn	nent Decree 361		
Components	Туре	Value	Form
Amorphous silica (CAS 112945-52-5)	TWA	4 mg/m3	Dust.
Estonia. OELs. Occupational Ex	posure Limits of Hazardous Su	bstances (Regulation No. 105	/2001, Annex), as amended
Components	Туре	Value	Form
Amorphous silica (CAS 112945-52-5)	TWA	2 mg/m3	Fine dust, respiratory fraction
Finland. Workplace Exposure Li	mits		
Components	Туре	Value	
Amorphous silica (CAS 112945-52-5)	TWA	5 mg/m3	

Val-Tex 80+FTFE and Val-Tex 80+FTFE-S

SDS EU

932607 Version #: 02 Revision date: 06-August-2021 Issue date: 18-April-2018

in the Work Area (DFG)	Turne	Value	Earm	
Components Amorphous silica (CAS	Type	Value	Form	
112945-52-5)	TWA	4 mg/m3	Inhalable fraction.	
FTFE-FL-1000 (CAS 9002-84-0)	TWA	4 mg/m3	Inhalable fraction.	
0002 01 0)		0,3 mg/m3	Respirable fraction.	
Germany. TRGS 900, Limi	t Values in the Ambient Air at the Workplace			
Components	Туре	Value	Form	
Amorphous silica (CAS 112945-52-5)	AGW	4 mg/m3	Inhalable fraction.	
	154/1999 on occupational exposure limits		-	
Components	Туре	Value	Form	
Amorphous silica (CAS 112945-52-5)	TWA	5 mg/m3	Respirable dust.	
•		10 mg/m3	Total dust.	
		0,5 mg/m3	Dust.	
Latvia. OELs. Occupationa	al exposure limit values of chemical substances	in work environme	ent	
Components	Туре	Value		
Amorphous silica (CAS 112945-52-5)	TWA	1 mg/m3		
_	orms for Contaminants in the Workplace		_	
Components	Туре	Value	Form	
Amorphous silica (CAS 112945-52-5)	TLV	1,5 mg/m3	Respirable dust.	
Slovakia. OELs. Decree of	the government of the Slovak Republic concer	ning protection of h	nealth in work with chem	
agents	-			
Components	Туре	Value		
Amorphous silica (CAS 112945-52-5)	TWA	0,3 mg/m3		
	ons concerning protection of workers against ris	ks due to exposure	e to chemicals while wor	
(Official Gazette of the Re Components	public of Slovenia) Type	Value	Form	
Amorphous silica (CAS	TWA	4 mg/m3	Inhalable fraction.	
112945-52-5)	IWA	4 mg/ms	illialable fraction.	
UK. EH40 Workplace Expo	osure Limits (WELs)			
Components	Туре	Value	Form	
Amorphous silica (CAS 112945-52-5)	TWA	6 mg/m3	Inhalable dust.	
112070-02-0)		2,4 mg/m3	Respirable dust.	
ogical limit values	No biological exposure limits noted for the ingre	edient(s).		
ommended monitoring	Follow standard monitoring procedures.			
cedures	·			
ved no effect levels ELs)	Not available.			
dicted no effect centrations (PNECs)	Not available.			
osure guidelines	Occupational Exposure Limits are not relevant t	o the current physic	al form of the product.	
Exposure controls				
ropriate engineering	Good general ventilation should be used. Ventil	ation rates should b	e matched to conditions. If	
ropilato oligilioolilig				

Individual protection measures, such as personal protective equipment

General information Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.

established, maintain airborne levels to an acceptable level.

maintain airborne levels below recommended exposure limits. If exposure limits have not been

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

- Hand protection Wear appropriate chemical resistant gloves.

- Other Wear suitable protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

Environmental exposure

controls

Emissions from ventilation or work process equipment should be checked to ensure they comply

with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to

acceptable levels.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical stateSolid.FormSemi-solid.ColourAmber.

Odour Slight castor oil smell.

Odour threshold Property has not been measured.

Melting point/freezing point Property has not been measured.

Boiling point or initial boiling point and boiling range

Property has not been measured.

Property has not been measured.

Flammability Will burn if involved in a fire.

Lower and upper explosion limit

Explosive limit - lower (%) Property has not been measured. **Explosive limit - upper** Property has not been measured.

(%)

Flash point 248,889 - 276,667 °C (480 - 530 °F) Cleveland open cup

Auto-ignition temperature Property has not been measured.

Decomposition temperature Property has not been measured.

Solubility

Solubility (water) Insoluble in water.

Partition coefficient Property has not been measured.

(n-octanol/water) (log value)

Vapour pressure Property has not been measured.

Density and/or relative density

Density Property has not been measured.

Relative density 1,08 - 1,11

Vapour density Property has not been measured.

Particle characteristics Not applicable, material is a semi-solid.

9.2. Other information

9.2.1. Information with regard No relevant additional information available. **to physical hazard classes**

9.2.2. Other safety characteristics

Evaporation rate Property has not been measured. **Viscosity** Property has not been measured.

SECTION 10: Stability and reactivity

10.1. ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability Material is stable under normal conditions.

10.3. Possibility of hazardous Porous material such as rags, paper, in

reactions

S Porous material such as rags, paper, insulation, or organic clay may spontaneously combust when wetted with this material.

10.4. Conditions to avoidContact with incompatible materials.

 Val-Tex 80+FTFE and Val-Tex 80+FTFE-S
 SDS EU

 932607 Version #: 02 Revision date: 06-August-2021 Issue date: 18-April-2018
 5 / 9

10.5. Incompatible materials Strong oxidizers.

10.6. Hazardous

decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Inhalation Vapor from heated material or mist may cause respiratory irritation.

Skin contact Prolonged skin contact may cause temporary irritation. Direct contact with eyes may cause temporary irritation. Eye contact

May cause discomfort if swallowed. Ingestion

11.1. Information on toxicological effects

Acute toxicity Not expected to be acutely toxic.

Skin corrosion/irritation Due to partial or complete lack of data the classification is not possible. Due to partial or complete lack of data the classification is not possible. Serious eye damage/eye

irritation

Respiratory sensitisation Due to partial or complete lack of data the classification is not possible. Due to partial or complete lack of data the classification is not possible. Skin sensitisation Germ cell mutagenicity Due to partial or complete lack of data the classification is not possible. Carcinogenicity Due to partial or complete lack of data the classification is not possible. Due to partial or complete lack of data the classification is not possible. Reproductive toxicity

Specific target organ toxicity single exposure

Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity repeated exposure

Due to partial or complete lack of data the classification is not possible.

Due to the physical form of the product it is not expected to be an aspiration hazard. **Aspiration hazard**

Mixture versus substance

information

No information available.

11.2. Information on other hazards

Endocrine disrupting

properties

This product contains components considered to have endocrine disrupting properties for environment, according to REACH Article 57(f), Regulation (EU) 2018/605 or Regulation (EU)

2017/2100.

Other information No other specific acute or chronic health impact noted.

SECTION 12: Ecological information

12.1. Toxicity Based on available data, the classification criteria are not met for hazardous to the aquatic

environment.

12.2. Persistence and

degradability

No data is available on the degradability of this product.

No data available on bioaccumulation. 12.3. Bioaccumulative potential

Partition coefficient

Not available.

n-octanol/water (log Kow)

Bioconcentration factor (BCF) Not available

12.4. Mobility in soil The product is insoluble in water. Expected to have low mobility in soil.

12.5. Results of PBT and vPvB

assessment

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII.

12.6. Endocrine disrupting

12.7. Other adverse effects

properties

This product contains components considered to have endocrine disrupting properties for environment, according to REACH Article 57(f), Regulation (EU) 2018/605 or Regulation (EU) 2017/2100.

None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose in accordance with local regulations. Dispose of in accordance with local regulations.

Empty containers or liners may retain some product residues. This material and its container must

be disposed of in a safe manner.

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

EU waste codeThe Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Disposal methods/information Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

Porous combustible material contaminated with this product must be collected in a tightly closed metal container. Cover with water, or a solution of water and detergent. Store in a cool place.

Protect from heat and direct sunlight.

Special precautions Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

14.1. UN number Not regulated as dangerous goods.

14.2. UN proper shipping

Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk -

Hazard No. (ADR) Not assigned.
Tunnel restriction code Not assigned.

14.4. Packing group Not assigned.

14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

RID

14.1. UN number Not regulated as dangerous goods.14.2. UN proper shipping Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk

14.4. Packing group Not assigned.

14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

ADN

14.1. UN numberNot regulated as dangerous goods. **14.2. UN proper shipping**Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk

14.4. Packing group Not assigned.

14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

IATA

14.1. UN numberNot regulated as dangerous goods. **14.2. UN proper shipping**Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk -

14.4. Packing group Not assigned.

14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

IMDG

14.1. UN number Not regulated as dangerous goods.14.2. UN proper shipping Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk

14.4. Packing group Not assigned.

Val-Tex 80+FTFE and Val-Tex 80+FTFE-S
932607 Version #: 02 Revision date: 06-August-2021 Issue date: 18-April-2018

14.5. Environmental hazards

Marine pollutant No.

EmS Not assigned. 14.6. Special precautions Not assigned.

for user

14.7. Maritime transport in bulk Not applicable.

according to IMO instruments

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Nonylphenol ethoxylate (CAS 9016-45-9)

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Nonviphenol ethoxylate (CAS 9016-45-9)

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Nonylphenol ethoxylate (CAS 9016-45-9)

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA

Nonylphenol ethoxylate (CAS 9016-45-9)

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorisation, as amended Nonylphenol ethoxylate (CAS 9016-45-9)

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Nonylphenol ethoxylate (CAS 9016-45-9)

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Other regulations The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP

Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation

(EC) No 1907/2006, as amended.

National regulations Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as

amended

15.2. Chemical safety

assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations

ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways.

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert – Germany).

CAS: Chemical Abstract Service.

CEN: European Committee for Standardization. IATA: International Air Transport Association.

IBC: Intermediate Bulk Container.

IMDG: International Maritime Dangerous Goods. PBT: Persistent, bioaccumulative and toxic. MAC: Maximum Allowed Concentration.

MARPOL: International Convention for the Prevention of Pollution from Ships.

Val-Tex 80+FTFE and Val-Tex 80+FTFE-S

PBT: Persistent, bioaccumulative and toxic.

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

STEL: Short term exposure limit. TLV: Threshold Limit Value. TWA: Time Weighted Average. VLE: Exposure Limit Value. VME: Exposure Average Value.

vPvB: Very persistent and very bioaccumulative.

HSDB® - Hazardous Substances Data Bank

IARC Monographs. Overall Evaluation of Carcinogenicity

Information on evaluation method leading to the classification of mixture

References

The classification for health and environmental hazards is derived by a combination of calculation

Full text of any H-statements not written out in full under Sections 2 to 15 methods and test data, if available.

Training information

H315 Causes skin irritation.

H319 Causes serious eye irritation. H335 May cause respiratory irritation.

Follow training instructions when handling this material.

Disclaimer

CMC Materials Val-Tex cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.

Val-Tex 80+FTFE and Val-Tex 80+FTFE-S

Issue date: 18-April-2018

932607 Version #: 02 Revision date: 06-August-2021