

Version #: 04
Issue date: 25-January-2018
Revision date: 03-April-2024
Supersedes date: 06-August-2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation of the mixture Val-Tex 972, Val-Tex 972-S

Registration number -

Synonyms Includes sticks of all sizes and bulk packaging.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Valve lubricant and sealant.

Uses advised against Uses other than the recommended use.

1.3. Details of the supplier of the safety data sheet

Manufacturer/Supplier Val-Tex, LLC
Address 15431 Vantage Pkwy E. Suite 210; Houston, Texas 77032
Telephone 1.800.627.9771
E-mail sales@valtex.com

Distributor Sealweld Industrial Materials Canada LTD.
Address Bay 106, 4116 64th Ave. S.E., Calgary, AB, T2C 2B3
Telephone 1.800.661.8465
E-mail sales@valtex.com

1.4 Emergency telephone number

General in EU 112 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

3E Global Incident Response Hotline 24-7-365 international hotline support

Europe +1.760.476.3961

International +1.760.476.3962

Access code 336866

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Hazard pictograms None.

Signal word None.

Hazard statements The mixture does not meet the criteria for classification.

Precautionary statements

Prevention Not assigned.

Response Not assigned.

Storage Not assigned.

Disposal Not assigned.

Supplemental information on the label After prolonged contact with highly porous materials, this product may spontaneously combust.

2.3. Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher. The mixture does not contain any substances included in the list established in accordance with REACH Article 59(1) for having endocrine disrupting properties at a concentration equal to or greater than 0.1% by weight. The mixture does not contain any substances having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0.1% by weight.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

The components are not hazardous or are below required disclosure limits.

SECTION 4: First aid measures

General information

Remove and isolate contaminated clothing and shoes. Clothing contaminated with this product may spontaneously catch fire if improperly discarded. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

4.1. Description of first aid measures

Inhalation

Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact

Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact

Rinse with water. Get medical attention if irritation develops and persists.

Ingestion

Rinse mouth. Get medical attention if symptoms occur.

4.2. Most important symptoms and effects, both acute and delayed

Direct contact with eyes may cause temporary irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

General fire hazards

Will burn if involved in a fire. Spontaneous combustion can occur.

5.1. Extinguishing media

Suitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO₂).

Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Porous material such as rags, paper, insulation, or organic clay may spontaneously combust when wetted with this material. During fire, gases hazardous to health may be formed. Combustion products may include: carbon oxides, metal oxides, silicon oxides, sulfur oxides.

5.3. Advice for firefighters

Special protective equipment for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire fighting procedures

Do not point solid water stream directly into burning oil to avoid spreading. Water may be ineffective in fighting an oil fire unless used by experienced firefighters.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Wear appropriate personal protective equipment.

For emergency responders

Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. For personal protection, see section 8 of the SDS.

6.2. Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

Stop the flow of material, if this is without risk. Contain the discharged material. Shovel the material into waste container. Following product recovery, flush area with water. Clean contaminated area with oil-removing material. Rags, steel wool, or waste contaminated with this product may spontaneously catch fire if improperly discarded. Used rags or other cleaning materials should be soaked with water and placed in a sealed container.

6.4. Reference to other sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Porous material such as rags, paper, insulation, or organic clay may spontaneously combust when wetted with this material. May auto-oxidize with sufficient heat generation to ignite if spread (as a thin film) or absorbed on porous or fibrous material. Contaminated rags and cloths must be put in fireproof containers for disposal. Avoid prolonged exposure. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed container. Store away from incompatible materials (see section 10 of the SDS).

7.3. Specific end use(s)

Valve lubricant and sealant. Observe industrial sector guidance on best practices.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Austria. MAK List Components

| Components | Type | Value | Form |
|------------------------------------|------|----------------------|----------------------|
| Amorphous silica (CAS 112945-52-5) | MAK | 4 mg/m ³ | Inhalable fraction. |
| | STEL | 20 mg/m ³ | Inhalable fraction. |
| | | 10 mg/m ³ | Respirable fraction. |

Belgium. OEL. Exposure Limit Values to Chemical Substances at Work, Code of Well-being at work, Book VI, Title 1 - Chemical agents, as amended

| Components | Type | Value | Form |
|---------------------------------------|------|----------------------|----------------------|
| Amorphous silica (CAS 112945-52-5) | TWA | 3 mg/m ³ | Respirable fraction. |
| | | 10 mg/m ³ | Inhalable fraction. |
| Molybdenum disulphide (CAS 1317-33-5) | TWA | 10 mg/m ³ | |

Bulgaria. OELs. Ordinance No 13 on protection of workers against risks of exposure to chemical agents at work, as amended

| Components | Type | Value | Form |
|---------------------------------------|------|------------------------|----------------------|
| Amorphous silica (CAS 112945-52-5) | TWA | 4 mg/m ³ | Inhalable fraction. |
| | | 0,07 mg/m ³ | Respirable fraction. |
| Molybdenum disulphide (CAS 1317-33-5) | TWA | 10 mg/m ³ | |

Croatia. OELs (GVI). Regulation on Protection of Workers against Exposure to Dangerous Chemicals at Work, OELs and Biological Limit Values, Annex I (NN 91/2018), as amended

| Components | Type | Value | Form |
|---------------------------------------|------|-----------------------|------------------|
| Amorphous silica (CAS 112945-52-5) | MAC | 6 mg/m ³ | Total dust. |
| | | 0,1 mg/m ³ | Respirable dust. |
| Molybdenum disulphide (CAS 1317-33-5) | MAC | 10 mg/m ³ | |
| | STEL | 20 mg/m ³ | |

Cyprus. OELs. Control of factory atmosphere and dangerous substances in factories regulation, PI 311/73, as amended

| Components | Type | Value |
|------------------------------------|------|---------------------|
| Amorphous silica (CAS 112945-52-5) | TWA | 2 mg/m ³ |

Czech Republic. Occupational exposure limit values of chemicals at work (Decree on protection of health at work, 361/2007, Annex 2, Part A & Annex 3, Part A, as amended)

| Components | Type | Value | Form |
|---------------------------------------|---------|----------------------|-------|
| Amorphous silica (CAS 112945-52-5) | TWA | 4 mg/m ³ | Dust. |
| Molybdenum disulphide (CAS 1317-33-5) | Ceiling | 25 mg/m ³ | |
| | TWA | 5 mg/m ³ | |

Denmark. Work Environment Authority. Exposure Limits for Substances & Materials, Annex 2

| Components | Type | Value | Form |
|---------------------------------------|------|-----------|-----------------------------|
| Amorphous silica (CAS 112945-52-5) | STEL | 20 mg/m3 | Dust. |
| | | 10 mg/m3 | Respirable dust. |
| | | 1 mg/m3 | Respirable quartz fraction. |
| | TLV | 5 mg/m3 | Respirable dust. |
| | | 10 mg/m3 | Dust. |
| | | 0,5 mg/m3 | Respirable quartz fraction. |
| Molybdenum disulphide (CAS 1317-33-5) | TLV | 10 mg/m3 | |

Finland. HTP-arvot, App 3., Binding Limit Values, Social Affairs and Ministry of Health

| Components | Type | Value | Form |
|---------------------------------------|------|-----------|------|
| Amorphous silica (CAS 112945-52-5) | TWA | 5 mg/m3 | |
| Molybdenum disulphide (CAS 1317-33-5) | TWA | 0,5 mg/m3 | |

Germany. DFG MAK List (advisory OELs). Commission for the Investigation of Health Hazards of Chemical Compounds in the Work Area (DFG)

| Components | Type | Value | Form |
|------------------------------------|------|------------|----------------------|
| Amorphous silica (CAS 112945-52-5) | TWA | 0,02 mg/m3 | Respirable fraction. |

Germany. TRGS 900, Limit Values in the Ambient Air at the Workplace

| Components | Type | Value | Form |
|------------------------------------|------|---------|---------------------|
| Amorphous silica (CAS 112945-52-5) | AGW | 4 mg/m3 | Inhalable fraction. |

Greece. OELs, Presidential Decree No. 307/1986, as amended

| Components | Type | Value | Form |
|---------------------------------------|------|----------|------|
| Molybdenum disulphide (CAS 1317-33-5) | TWA | 15 mg/m3 | |

Hungary. OELs. Decree on protection of workers exposed to chemical agents (5/2020. (II.6)), Annex 1&2, as amended

| Components | Type | Value | Form |
|---------------------------------------|------|----------|-------------|
| Molybdenum disulphide (CAS 1317-33-5) | TWA | 5 mg/m3 | Respirable. |
| | | 10 mg/m3 | |

Iceland. OELs. Regulation 390/2009 on Pollution Limits and Measures to Reduce Pollution at the Workplace, as amended

| Components | Type | Value | Form |
|---------------------------------------|------|----------|------|
| Molybdenum disulphide (CAS 1317-33-5) | TWA | 10 mg/m3 | |

Ireland. OELVs, Schedules 1 & 2, Code of Practise for Chemical Agents and Carcinogens Regulations

| Components | Type | Value | Form |
|---------------------------------------|------|---------|----------------------|
| Molybdenum disulphide (CAS 1317-33-5) | TWA | 3 mg/m3 | Respirable fraction. |

Italy. OELs

| Components | Type | Value | Form |
|---------------------------------------|------|----------|----------------------|
| Molybdenum disulphide (CAS 1317-33-5) | TWA | 3 mg/m3 | Respirable fraction. |
| | | 10 mg/m3 | Inhalable fraction. |

Latvia. OELs. Occupational Exposure Limits of Chemical Substances at Workplace (Reg. No. 325/ 2007, L.V. 80, Annex 1), as amended

| Components | Type | Value | Form |
|------------------------------------|------|---------|------|
| Amorphous silica (CAS 112945-52-5) | TWA | 1 mg/m3 | |

Lithuania. OELs. Limit Values for Chemical Substances, General Requirements (Hygiene Norm HN 23:2007)

| Components | Type | Value | Form |
|---------------------------------------|------|----------------------|----------------------|
| Amorphous silica (CAS 112945-52-5) | TWA | 5 mg/m ³ | Respirable fraction. |
| | | 10 mg/m ³ | Inhalable fraction. |
| Molybdenum disulphide (CAS 1317-33-5) | TWA | 5 mg/m ³ | Respirable fraction. |
| | | 10 mg/m ³ | Inhalable fraction. |

Poland. Maximum permissible concentrations and intensities of harmful factors in the work environment (Dz.U.Poz. 1286/2018, Annex 1)

| Components | Type | Value | Form |
|---------------------------------------|------|----------------------|------|
| Molybdenum disulphide (CAS 1317-33-5) | STEL | 10 mg/m ³ | |
| | TWA | 4 mg/m ³ | |

Portugal

| Components | Type | Value | Form |
|---------------------------------------|------|----------------------|----------------------|
| Molybdenum disulphide (CAS 1317-33-5) | TWA | 3 mg/m ³ | Respirable fraction. |
| | | 10 mg/m ³ | Inhalable fraction. |

Portugal. VLEs. Norm on occupational exposure to chemical agents (NP 1796-2014)

| Components | Type | Value | Form |
|---------------------------------------|------|----------------------|----------------------|
| Molybdenum disulphide (CAS 1317-33-5) | TWA | 3 mg/m ³ | Respirable fraction. |
| | | 10 mg/m ³ | Inhalable fraction. |

Romania. OELs. Limit Values of Chemical Agents at Workplace (Regulation 1.218/2006, M.O 845, Annex 1, 3&4, as amended)

| Components | Type | Value | Form |
|---------------------------------------|------|----------------------|------|
| Molybdenum disulphide (CAS 1317-33-5) | STEL | 10 mg/m ³ | |
| | TWA | 5 mg/m ³ | |

Slovakia. OELs. Decree of the government of the Slovak Republic concerning protection of health in work with chemical agents

| Components | Type | Value | Form |
|---------------------------------------|------|-----------------------|----------------------|
| Amorphous silica (CAS 112945-52-5) | TWA | 0,3 mg/m ³ | |
| Molybdenum disulphide (CAS 1317-33-5) | TWA | 5 mg/m ³ | Respirable fraction. |
| | | 10 mg/m ³ | Inhalable fraction. |

Slovenia. OELs. Occupational Exposure Limits of Chemicals at Workplace (Reg. on Protection of Workers from Risks due to Exp. to Chemicals at Work, Ann. I 100/2001), as amended

| Components | Type | Value | Form |
|------------------------------------|------|-----------------------|----------------------|
| Amorphous silica (CAS 112945-52-5) | KTV | 20 mg/m ³ | Inhalable fraction. |
| | | 2,5 mg/m ³ | Respirable fraction. |

Slovenia. OELs. Occupational Exposure Limits of Chemicals at Workplace (Reg. on Protection of Workers from Risks due to Exp. to Chemicals at Work, Annex I), as amended

| Components | Type | Value | Form |
|------------------------------------|------|------------------------|----------------------|
| Amorphous silica (CAS 112945-52-5) | TWA | 4 mg/m ³ | Inhalable fraction. |
| | | 10 mg/m ³ | Inhalable fraction. |
| | | 1,25 mg/m ³ | Respirable fraction. |

Spain

| Components | Type | Value | Form |
|---------------------------------------|--------------|----------------------|------|
| Molybdenum disulphide (CAS 1317-33-5) | TWA (VLA-ED) | 10 mg/m ³ | |

Spain. OELs. INSST, Límites de Exposición Profesional Para Agentes Químicos, Table 1-Valores Límites Ambientales (VLAs)

| Components | Type | Value | Form |
|------------------------------------|------|----------|----------------------|
| Amorphous silica (CAS 112945-52-5) | TWA | 3 mg/m3 | Respirable fraction. |
| | | 10 mg/m3 | Inhalable fraction. |

Sweden. OELs (Annex 1). Work Environment Authority (AV), Occupational Exposure Limit Values (AFS 2018:1), as amended

| Components | Type | Value | Form |
|---------------------------------------|------|-----------|------------------|
| Amorphous silica (CAS 112945-52-5) | TWA | 5 mg/m3 | Inhalable dust. |
| | | 2,5 mg/m3 | Respirable dust. |
| Molybdenum disulphide (CAS 1317-33-5) | TWA | 5 mg/m3 | Respirable dust. |
| | | 10 mg/m3 | Total dust. |

UK. OELs. Workplace Exposure Limits (WELs) (EH40/2005 (Fourth Edition 2020)), Table 1

| Components | Type | Value | Form |
|---------------------------------------|------|-----------|------------------|
| Amorphous silica (CAS 112945-52-5) | TWA | 6 mg/m3 | Inhalable dust. |
| | | 2,4 mg/m3 | Respirable dust. |
| Molybdenum disulphide (CAS 1317-33-5) | STEL | 20 mg/m3 | |
| | TWA | 10 mg/m3 | |

Biological limit values No biological exposure limits noted for the ingredient(s).

Recommended monitoring procedures Follow standard monitoring procedures.

Derived no effect levels (DNELs) Not available.

Predicted no effect concentrations (PNECs) Not available.

8.2. Exposure controls

Appropriate engineering controls Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

General information Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.

Eye/face protection Wear safety glasses with side shields (or goggles). Eye protection should meet standard EN 166.

Skin protection

- Hand protection Wear suitable gloves tested to EN374. Suitable gloves can be recommended by the glove supplier.

- Other Wear suitable protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment. Follow guidance on selection, use, care and maintenance in accordance with EN 529.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

Environmental exposure controls Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Solid.

Form Semi-solid.

Colour Black.

| | |
|--|--|
| Odour | Slight castor oil smell. |
| Odour threshold | Property has not been measured. |
| Melting point/freezing point | Property has not been measured. |
| Boiling point or initial boiling point and boiling range | Property has not been measured. |
| Flammability | Will burn if involved in a fire. Spontaneous combustion can occur. |
| Upper/lower flammability or explosive limits | |
| Explosive limit - lower (%) | Property has not been measured. |
| Explosive limit – upper (%) | Property has not been measured. |
| Flash point | 260 °C (500 °F) Cleveland open cup |
| Auto-ignition temperature | Property has not been measured. |
| Decomposition temperature | Property has not been measured. |
| pH | Property has not been measured. |
| Kinematic viscosity | Property has not been measured. |
| Solubility | |
| Solubility (water) | Insoluble in water. |
| Partition coefficient (n-octanol/water) (log value) | Property has not been measured. |
| Vapour pressure | Property has not been measured. |
| Density and/or relative density | |
| Density | Property has not been measured. |
| Relative density | 1,0135 - 1,2976 (water=1) |
| Vapour density | Property has not been measured. |
| Particle characteristics | Not applicable, material is a semi-solid. |
| 9.2. Other information | |
| 9.2.1. Information with regard to physical hazard classes | No relevant additional information available. |
| 9.2.2. Other safety characteristics | |
| Dropping point | > 260 °C (> 500 °F) ASTM D-566 |
| Evaporation rate | Property has not been measured. |
| Viscosity | Property has not been measured. |

SECTION 10: Stability and reactivity

| | |
|---|--|
| 10.1. Reactivity | The product is stable and non-reactive under normal conditions of use, storage and transport. |
| 10.2. Chemical stability | Material is stable under normal conditions. |
| 10.3. Possibility of hazardous reactions | Porous material such as rags, paper, insulation, or organic clay may spontaneously combust when wetted with this material. |
| 10.4. Conditions to avoid | Contact with incompatible materials. |
| 10.5. Incompatible materials | Strong oxidizers. |
| 10.6. Hazardous decomposition products | No hazardous decomposition products are known. |

SECTION 11: Toxicological information

| | |
|---|--|
| General information | Occupational exposure to the substance or mixture may cause adverse effects. |
| Information on likely routes of exposure | |
| Inhalation | Vapor from heated material or mist may cause respiratory irritation. |
| Skin contact | Prolonged skin contact may cause temporary irritation. |
| Eye contact | Direct contact with eyes may cause temporary irritation. |
| Ingestion | May cause discomfort if swallowed. |
| Symptoms | Direct contact with eyes may cause temporary irritation. |
| 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 | |
| Acute toxicity | Not expected to be acutely toxic. |
| Skin corrosion/irritation | Based on available data, the classification criteria are not met. |

| | |
|---|---|
| Serious eye damage/eye irritation | Based on available data, the classification criteria are not met. |
| Respiratory sensitisation | Based on available data, the classification criteria are not met. |
| Skin sensitisation | Based on available data, the classification criteria are not met. |
| Germ cell mutagenicity | Based on available data, the classification criteria are not met. |
| Carcinogenicity | Based on available data, the classification criteria are not met. |
| Reproductive toxicity | Based on available data, the classification criteria are not met. |
| Specific target organ toxicity - single exposure | Based on available data, the classification criteria are not met. |
| Specific target organ toxicity - repeated exposure | Based on available data, the classification criteria are not met. |
| Aspiration hazard | Based on available data, the classification criteria are not met. |
| Mixture versus substance information | No information available. |

11.2. Information on other hazards

| | |
|--|---|
| Endocrine disrupting properties | This mixture does not contain any substances having endocrine disrupting properties with respect to human health as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than 0.1% by weight. |
| Other information | No other specific acute or chronic health impact noted. |

SECTION 12: Ecological information

| | |
|--|--|
| 12.1. Toxicity | Based on available data, the classification criteria are not met for hazardous to the aquatic environment. |
| 12.2. Persistence and degradability | No data is available on the degradability of this product. |
| 12.3. Bioaccumulative potential | No data available on bioaccumulation. |
| Partition coefficient n-octanol/water (log Kow) | Property has not been measured. |
| Bioconcentration factor (BCF) | Not available. |
| 12.4. Mobility in soil | The product is insoluble in water. Expected to have low mobility in soil. |
| 12.5. Results of PBT and vPvB assessment | This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher. |
| 12.6. Endocrine disrupting properties | This mixture does not contain any substances having endocrine disrupting properties with respect to the environment as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than 0.1% by weight. |
| 12.7. Other adverse effects | No data available. |

SECTION 13: Disposal considerations

13.1. Waste treatment methods

| | |
|-------------------------------------|--|
| Residual waste | Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner. |
| Contaminated packaging | Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal. |
| EU waste code | The Waste code should be assigned in discussion between the user, the producer and the waste disposal company. |
| Disposal methods/information | Collect and reclaim or dispose in sealed containers at licensed waste disposal site. |
| Special precautions | Dispose in accordance with all applicable regulations. |

SECTION 14: Transport information

ADR

| | |
|---|-----------------------------------|
| 14.1. UN number | Not regulated as dangerous goods. |
| 14.2. UN proper shipping name | Not regulated as dangerous goods. |
| 14.3. Transport hazard class(es) | |
| Class | Not assigned. |
| Subsidiary risk | - |
| Hazard No. (ADR) | Not assigned. |

Tunnel restriction code Not assigned.

14.4. Packing group -

14.5. Environmental hazards No.

14.6. Special precautions for user Not assigned.

RID

14.1. UN number Not regulated as dangerous goods.

14.2. UN proper shipping name Not regulated as dangerous goods.

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk -

14.4. Packing group -

14.5. Environmental hazards No.

14.6. Special precautions for user Not assigned.

ADN

14.1. UN number Not regulated as dangerous goods.

14.2. UN proper shipping name Not regulated as dangerous goods.

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk -

14.4. Packing group -

14.5. Environmental hazards No.

14.6. Special precautions for user Not assigned.

IATA

14.1. UN number Not regulated as dangerous goods.

14.2. UN proper shipping name Not regulated as dangerous goods.

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk -

14.4. Packing group -

14.5. Environmental hazards No.

14.6. Special precautions for user Not assigned.

IMDG

14.1. UN number Not regulated as dangerous goods.

14.2. UN proper shipping name Not regulated as dangerous goods.

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk -

14.4. Packing group -

14.5. Environmental hazards

Marine pollutant No.

EmS Not assigned.

14.6. Special precautions for user Not assigned.

14.7. Maritime transport in bulk according to IMO instruments Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended
Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended
Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended
Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended
Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA
Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorisation, as amended
Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use, as amended
- Conditions of restriction given for the associated entry number should be considered

Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

Regulation 2019/1148 on Marketing and Use of Explosive Precursors, Annex I, as amended

Not listed.

Regulation 2019/1148 on Marketing and Use of Explosive Precursors, Annex II, as amended

Not listed.

Other regulations

The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006, as amended.

National regulations

Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as amended.

France regulations

France INRS Table of Occupational Diseases

Not regulated.

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations

ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways.
ADR: Agreement concerning the International Carriage of Dangerous Goods by Road.
AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert – Germany).
CAS: Chemical Abstract Service.
CEN: European Committee for Standardization.
IATA: International Air Transport Association.
IMDG: International Maritime Dangerous Goods.
IMO: International Maritime Organization.
KTV: Short term exposure limit.
MAC: Maximum Allowed Concentration.
MAK: Maximum Workplace Concentrations (“Maximale Arbeitsplatzkonzentrationen”).
PBT: Persistent, bioaccumulative and toxic.
RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.
STEL: Short term exposure limit.
TLV: Threshold Limit Value.
TWA: Time Weighted Average.
vPvB: Very persistent and very bioaccumulative.

References

ECHA: European Chemical Agency.
IARC Monographs. Overall Evaluation of Carcinogenicity
NLM: Hazardous Substances Data Base

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

Full text of any statements, which are not written out in full under sections 2 to 15

None.

Training information

Follow training instructions when handling this material.

Disclaimer

Val-Tex LLC cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.