



# SAFETY DATA SHEET

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Trade name or designation of the mixture 80-AP-M

Registration number -

Synonyms None.

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Bulk lube sealant.

Uses advised against None known.

### 1.3. Details of the supplier of the safety data sheet

Manufacturer/Supplier Val-Tex, LLC; 15431 Vantage Pkwy E. Suite 210; Houston, Texas 77032

Telephone 1.800.627.9771

E-mail sales.val-tex@cmcmaterials.com

Representative CMC Materials; Amber Business Centre; Riddings Alfreton Derbyshire DE55 4DA; United Kingdom

Telephone +44 (0) 1773 844200

E-mail sales.val-tex@cmcmaterials.com

Representative CMC Materials; Les Vieilles Hayes; 50620 Saint Fromond; France

Telephone +33 (0) 2 33 75 64 00

E-mail sales.val-tex@cmcmaterials.com

Distributor CMC Materials Sealweld Canada, INC.; Bay 106, 4116 64th Ave.S.E., Calgary, AB, T2C 2B3

Telephone 1.800.661.8465

E-mail sales.val-tex@cmcmaterials.com

### 1.4 Emergency telephone number

General in EU 112 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

#### 3E Global Incident Response Hotline

Europe +1.760.476.3961

International +1.760.476.3962

Access code 333035

#### CHEMTREC

For Dangerous Goods Incidents ONLY (spill, leak, fire, exposure or accident), call CHEMTREC 24/7 at:

EU +44 (0) 1235 239670

International +1.703.741.5970

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

#### Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

### 2.2. Label elements

#### Label according to Regulation (EC) No. 1272/2008 as amended

Hazard pictograms None.

Signal word None.

Hazard statements The mixture does not meet the criteria for classification.

## Precautionary statements

<b>Prevention</b>	Observe good industrial hygiene practices.
<b>Response</b>	Wash hands after handling.
<b>Storage</b>	Store away from incompatible materials.
<b>Disposal</b>	Dispose of waste and residues in accordance with local authority requirements.

**Supplemental information on the label** After prolonged contact with highly porous materials, this product may spontaneously combust.

**2.3. Other hazards** This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII.  
This product contains components considered to have endocrine disrupting properties for environment, according to REACH Article 57(f), Regulation (EU) 2018/605 or Regulation (EU) 2017/2100.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Nonylphenol ethoxylate	0,8	9016-45-9 500-024-6	-	-	ED

**Classification:** Skin Irrit. 2;H315, Eye Irrit. 2;H319, STOT SE 3;H335

#### List of abbreviations and symbols that may be used above

ED: Endocrine disruptor

**Composition comments** The full text for all H-statements is displayed in section 16.  
All concentrations are in percent by weight unless otherwise indicated.  
Components not listed are either non-hazardous or are below reportable limits.

## SECTION 4: First aid measures

**General information** Remove and isolate contaminated clothing and shoes. Clothing contaminated with this product may spontaneously catch fire if improperly discarded. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

### 4.1. Description of first aid measures

<b>Inhalation</b>	Move to fresh air. Call a physician if symptoms develop or persist.
<b>Skin contact</b>	Wash off with soap and water. Get medical attention if irritation develops and persists.
<b>Eye contact</b>	Rinse with water. Get medical attention if irritation develops and persists.
<b>Ingestion</b>	Rinse mouth. Get medical attention if symptoms occur.

**4.2. Most important symptoms and effects, both acute and delayed** Direct contact with eyes may cause temporary irritation.

**4.3. Indication of any immediate medical attention and special treatment needed** Treat symptomatically.

## SECTION 5: Firefighting measures

**General fire hazards** Will burn if involved in a fire. Spontaneous combustion can occur.

### 5.1. Extinguishing media

<b>Suitable extinguishing media</b>	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO <sub>2</sub> ).
<b>Unsuitable extinguishing media</b>	Do not use water jet as an extinguisher, as this will spread the fire.

**5.2. Special hazards arising from the substance or mixture** Porous material such as rags, paper, insulation, or organic clay may spontaneously combust when wetted with this material. During fire, gases hazardous to health may be formed. Combustion products may include: carbon oxides, metal oxide, silicon oxides, sulfur oxides.

### 5.3. Advice for firefighters

<b>Special protective equipment for firefighters</b>	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
<b>Special fire fighting procedures</b>	Do not point solid water stream directly into burning oil to avoid spreading. Water may be ineffective in fighting an oil fire unless used by experienced firefighters.

**Specific methods** Use standard firefighting procedures and consider the hazards of other involved materials.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**For non-emergency personnel** Wear appropriate personal protective equipment.

**For emergency responders** Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. For personal protection, see section 8 of the SDS.

**6.2. Environmental precautions** Avoid discharge into drains, water courses or onto the ground.

**6.3. Methods and material for containment and cleaning up** The product is immiscible with water and will sediment in water systems. Stop the flow of material, if this is without risk. Contain the discharged material. Shovel the material into waste container. Following product recovery, flush area with water. Clean contaminated area with oil-removing material. Rags, steel wool, or waste contaminated with this product may spontaneously catch fire if improperly discarded. Used rags or other cleaning materials should be soaked with water and placed in a sealed container.

**6.4. Reference to other sections** For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

## SECTION 7: Handling and storage

**7.1. Precautions for safe handling** Porous material such as rags, paper, insulation, or organic clay may spontaneously combust when wetted with this material. May auto-oxidize with sufficient heat generation to ignite if spread (as a thin film) or absorbed on porous or fibrous material. Contaminated rags and cloths must be put in fireproof containers for disposal. Observe good industrial hygiene practices.

**7.2. Conditions for safe storage, including any incompatibilities** Store in tightly closed container. Store away from incompatible materials (see section 10 of the SDS).

**7.3. Specific end use(s)** Lubricant.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Occupational exposure limits

##### Austria. MAK List Components

Components	Type	Value	Form
Amorphous silica (CAS 112945-52-5)	MAK	4 mg/m <sup>3</sup>	Inhalable fraction.
Molybdenum disulphide (CAS 1317-33-5)	MAK	10 mg/m <sup>3</sup>	Inhalable fraction.
	STEL	20 mg/m <sup>3</sup>	Inhalable fraction.

##### Belgium. Exposure Limit Values Components

Components	Type	Value
Molybdenum disulphide (CAS 1317-33-5)	TWA	10 mg/m <sup>3</sup>

##### Bulgaria. OELs. Regulation No 13 on protection of workers against risks of exposure to chemical agents at work Components

Components	Type	Value	Form
Amorphous silica (CAS 112945-52-5)	TWA	10 mg/m <sup>3</sup>	Inhalable fraction.
		0,07 mg/m <sup>3</sup>	Respirable fraction.
Molybdenum disulphide (CAS 1317-33-5)	TWA	10 mg/m <sup>3</sup>	

##### Croatia. Dangerous Substance Exposure Limit Values in the Workplace (ELVs), Annexes 1 and 2, Narodne Novine, 13/09 Components

Components	Type	Value	Form
Amorphous silica (CAS 112945-52-5)	MAC	6 mg/m <sup>3</sup>	Total dust.
		0,1 mg/m <sup>3</sup>	Respirable dust.
Molybdenum disulphide (CAS 1317-33-5)	MAC	10 mg/m <sup>3</sup>	
	STEL	20 mg/m <sup>3</sup>	

##### Cyprus. OELs. Control of factory atmosphere and dangerous substances in factories regulation, PI 311/73, as amended. Components

Components	Type	Value
Amorphous silica (CAS 112945-52-5)	TWA	2 mg/m <sup>3</sup>

**Czech Republic. OELs. Government Decree 361**

Components	Type	Value	Form
Amorphous silica (CAS 112945-52-5)	TWA	4 mg/m <sup>3</sup>	Dust.
Molybdenum disulphide (CAS 1317-33-5)	Ceiling	25 mg/m <sup>3</sup>	
	TWA	5 mg/m <sup>3</sup>	

**Denmark. Exposure Limit Values**

Components	Type	Value	
Molybdenum disulphide (CAS 1317-33-5)	TLV	10 mg/m <sup>3</sup>	

**Estonia. OELs. Occupational Exposure Limits of Hazardous Substances (Regulation No. 105/2001, Annex), as amended**

Components	Type	Value	Form
Amorphous silica (CAS 112945-52-5)	TWA	2 mg/m <sup>3</sup>	Fine dust, respiratory fraction
Molybdenum disulphide (CAS 1317-33-5)	TWA	5 mg/m <sup>3</sup>	Fine dust, respiratory fraction
		10 mg/m <sup>3</sup>	Total dust, respiratory fraction

**Finland. Workplace Exposure Limits**

Components	Type	Value	
Amorphous silica (CAS 112945-52-5)	TWA	5 mg/m <sup>3</sup>	

**Germany. DFG MAK List (advisory OELs). Commission for the Investigation of Health Hazards of Chemical Compounds in the Work Area (DFG)**

Components	Type	Value	Form
Amorphous silica (CAS 112945-52-5)	TWA	4 mg/m <sup>3</sup>	Inhalable fraction.

**Germany. TRGS 900, Limit Values in the Ambient Air at the Workplace**

Components	Type	Value	Form
Amorphous silica (CAS 112945-52-5)	AGW	4 mg/m <sup>3</sup>	Inhalable fraction.

**Greece. OELs (Decree No. 90/1999, as amended)**

Components	Type	Value	
Molybdenum disulphide (CAS 1317-33-5)	TWA	15 mg/m <sup>3</sup>	

**Hungary. OELs. Joint Decree on Chemical Safety of Workplaces**

Components	Type	Value	Form
Molybdenum disulphide (CAS 1317-33-5)	TWA	5 mg/m <sup>3</sup>	Respirable.
		10 mg/m <sup>3</sup>	

**Iceland. OELs. Regulation 154/1999 on occupational exposure limits**

Components	Type	Value	Form
Amorphous silica (CAS 112945-52-5)	TWA	5 mg/m <sup>3</sup>	Respirable dust.
		10 mg/m <sup>3</sup>	Total dust.
		0,5 mg/m <sup>3</sup>	Dust.
Molybdenum disulphide (CAS 1317-33-5)	TWA	10 mg/m <sup>3</sup>	

**Ireland. Occupational Exposure Limits**

Components	Type	Value	Form
Molybdenum disulphide (CAS 1317-33-5)	TWA	3 mg/m <sup>3</sup>	Respirable fraction.

<b>Italy. OELs</b>			
<b>Components</b>	<b>Type</b>	<b>Value</b>	<b>Form</b>
Molybdenum disulphide (CAS 1317-33-5)	TWA	3 mg/m3	Respirable fraction.
		10 mg/m3	Inhalable fraction.
<b>Latvia. OELs. Occupational exposure limit values of chemical substances in work environment</b>			
<b>Components</b>	<b>Type</b>	<b>Value</b>	
Amorphous silica (CAS 112945-52-5)	TWA	1 mg/m3	
<b>Lithuania. OELs. Limit Values for Chemical Substances, General Requirements (Hygiene Norm HN 23:2007)</b>			
<b>Components</b>	<b>Type</b>	<b>Value</b>	<b>Form</b>
Molybdenum disulphide (CAS 1317-33-5)	TWA	5 mg/m3	Respirable fraction.
		10 mg/m3	Inhalable fraction.
<b>Norway. Administrative Norms for Contaminants in the Workplace</b>			
<b>Components</b>	<b>Type</b>	<b>Value</b>	<b>Form</b>
Amorphous silica (CAS 112945-52-5)	TLV	1,5 mg/m3	Respirable dust.
Molybdenum disulphide (CAS 1317-33-5)	TLV	10 mg/m3	
<b>Poland. Ordinance of the Minister of Labour and Social Policy on 6 June 2014 on the maximum permissible concentrations and intensities of harmful health factors in the work environment, Journal of Laws 2014, item 817</b>			
<b>Components</b>	<b>Type</b>	<b>Value</b>	
Molybdenum disulphide (CAS 1317-33-5)	STEL	10 mg/m3	
	TWA	4 mg/m3	
<b>Portugal</b>			
<b>Components</b>	<b>Type</b>	<b>Value</b>	<b>Form</b>
Molybdenum disulphide (CAS 1317-33-5)	TWA	3 mg/m3	Respirable fraction.
		10 mg/m3	Inhalable fraction.
<b>Portugal. VLEs. Norm on occupational exposure to chemical agents (NP 1796)</b>			
<b>Components</b>	<b>Type</b>	<b>Value</b>	<b>Form</b>
Molybdenum disulphide (CAS 1317-33-5)	TWA	3 mg/m3	Respirable fraction.
		10 mg/m3	Inhalable fraction.
<b>Romania. OELs. Protection of workers from exposure to chemical agents at the workplace</b>			
<b>Components</b>	<b>Type</b>	<b>Value</b>	
Molybdenum disulphide (CAS 1317-33-5)	STEL	10 mg/m3	
	TWA	5 mg/m3	
<b>Slovakia. OELs. Decree of the government of the Slovak Republic concerning protection of health in work with chemical agents</b>			
<b>Components</b>	<b>Type</b>	<b>Value</b>	<b>Form</b>
Amorphous silica (CAS 112945-52-5)	TWA	0,3 mg/m3	
Molybdenum disulphide (CAS 1317-33-5)	TWA	5 mg/m3	Respirable fraction.
		10 mg/m3	Inhalable fraction.
<b>Slovenia. OELs. Regulations concerning protection of workers against risks due to exposure to chemicals while working (Official Gazette of the Republic of Slovenia)</b>			
<b>Components</b>	<b>Type</b>	<b>Value</b>	<b>Form</b>
Amorphous silica (CAS 112945-52-5)	TWA	4 mg/m3	Inhalable fraction.

<b>Spain</b>			
<b>Components</b>	<b>Type</b>	<b>Value</b>	
Molybdenum disulphide (CAS 1317-33-5)	TWA (VLA-ED)	10 mg/m3	
<b>Sweden. OELs. Work Environment Authority (AV), Occupational Exposure Limit Values (AFS 2015:7)</b>			
<b>Components</b>	<b>Type</b>	<b>Value</b>	<b>Form</b>
Molybdenum disulphide (CAS 1317-33-5)	TWA	5 mg/m3	Respirable dust.
		10 mg/m3	Total dust.
<b>Switzerland. SUVA Grenzwerte am Arbeitsplatz</b>			
<b>Components</b>	<b>Type</b>	<b>Value</b>	<b>Form</b>
Molybdenum disulphide (CAS 1317-33-5)	TWA	10 mg/m3	Inhalable fraction.
<b>UK. EH40 Workplace Exposure Limits (WELs)</b>			
<b>Components</b>	<b>Type</b>	<b>Value</b>	<b>Form</b>
Amorphous silica (CAS 112945-52-5)	TWA	6 mg/m3	Inhalable dust.
		2,4 mg/m3	Respirable dust.
Molybdenum disulphide (CAS 1317-33-5)	STEL	20 mg/m3	
	TWA	10 mg/m3	

<b>Biological limit values</b>	No biological exposure limits noted for the ingredient(s).
<b>Recommended monitoring procedures</b>	Follow standard monitoring procedures.
<b>Derived no effect levels (DNELs)</b>	Not available.
<b>Predicted no effect concentrations (PNECs)</b>	Not available.
<b>Exposure guidelines</b>	Occupational Exposure Limits are not relevant to the current physical form of the product.
<b>8.2. Exposure controls</b>	
<b>Appropriate engineering controls</b>	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.
<b>Individual protection measures, such as personal protective equipment</b>	
<b>General information</b>	Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.
<b>Eye/face protection</b>	Wear safety glasses with side shields (or goggles).
<b>Skin protection</b>	
- <b>Hand protection</b>	Wear appropriate chemical resistant gloves.
- <b>Other</b>	Wear suitable protective clothing.
<b>Respiratory protection</b>	In case of insufficient ventilation, wear suitable respiratory equipment.
<b>Thermal hazards</b>	Wear appropriate thermal protective clothing, when necessary.
<b>Hygiene measures</b>	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.
<b>Environmental exposure controls</b>	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable levels.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

<b>Physical state</b>	Solid.
<b>Form</b>	Semi-solid.
<b>Colour</b>	Black.
<b>Odour</b>	Slight castor oil smell.
<b>Odour threshold</b>	Property has not been measured.

<b>Melting point/freezing point</b>	Property has not been measured.
<b>Boiling point or initial boiling point and boiling range</b>	Property has not been measured.
<b>Flammability</b>	Will burn if involved in a fire.
<b>Lower and upper explosion limit</b>	
<b>Explosive limit - lower (%)</b>	Property has not been measured.
<b>Explosive limit – upper (%)</b>	Property has not been measured.
<b>Flash point</b>	235 °C (455 °F) Cleveland open cup
<b>Auto-ignition temperature</b>	Property has not been measured.
<b>Decomposition temperature</b>	Property has not been measured.
<b>pH</b>	Property has not been measured.
<b>Kinematic viscosity</b>	Property has not been measured.
<b>Solubility</b>	
<b>Solubility (water)</b>	Insoluble in water.
<b>Partition coefficient (n-octanol/water) (log value)</b>	Property has not been measured.
<b>Vapour pressure</b>	Property has not been measured.
<b>Density and/or relative density</b>	
<b>Density</b>	Property has not been measured.
<b>Relative density</b>	1,3489 (H <sub>2</sub> O=1)
<b>Vapour density</b>	Property has not been measured.
<b>Particle characteristics</b>	Not applicable, material is a semi-solid.

## 9.2. Other information

**9.2.1. Information with regard to physical hazard classes** No relevant additional information available.

### 9.2.2. Other safety characteristics

<b>Evaporation rate</b>	Property has not been measured.
<b>Viscosity</b>	Property has not been measured.

## SECTION 10: Stability and reactivity

<b>10.1. Reactivity</b>	The product is stable and non-reactive under normal conditions of use, storage and transport.
<b>10.2. Chemical stability</b>	Material is stable under normal conditions.
<b>10.3. Possibility of hazardous reactions</b>	Porous material such as rags, paper, insulation, or organic clay may spontaneously combust when wetted with this material.
<b>10.4. Conditions to avoid</b>	Contact with incompatible materials.
<b>10.5. Incompatible materials</b>	Strong oxidizers.
<b>10.6. Hazardous decomposition products</b>	No hazardous decomposition products are known.

## SECTION 11: Toxicological information

**General information** Occupational exposure to the substance or mixture may cause adverse effects.

### Information on likely routes of exposure

<b>Inhalation</b>	Vapor from heated material or mist may cause respiratory irritation.
<b>Skin contact</b>	Prolonged skin contact may cause temporary irritation.
<b>Eye contact</b>	Direct contact with eyes may cause temporary irritation.
<b>Ingestion</b>	May cause discomfort if swallowed.

### 11.1. Information on toxicological effects

<b>Acute toxicity</b>	Not expected to be acutely toxic.
<b>Skin corrosion/irritation</b>	Due to partial or complete lack of data the classification is not possible.
<b>Serious eye damage/eye irritation</b>	Due to partial or complete lack of data the classification is not possible.
<b>Respiratory sensitisation</b>	Due to partial or complete lack of data the classification is not possible.
<b>Skin sensitisation</b>	Due to partial or complete lack of data the classification is not possible.

<b>Germ cell mutagenicity</b>	Due to partial or complete lack of data the classification is not possible.
<b>Carcinogenicity</b>	Due to partial or complete lack of data the classification is not possible.
<b>Reproductive toxicity</b>	Due to partial or complete lack of data the classification is not possible.
<b>Specific target organ toxicity - single exposure</b>	Due to partial or complete lack of data the classification is not possible.
<b>Specific target organ toxicity - repeated exposure</b>	Due to partial or complete lack of data the classification is not possible.
<b>Aspiration hazard</b>	Due to the physical form of the product it is not expected to be an aspiration hazard.
<b>Mixture versus substance information</b>	No information available.
<b>11.2. Information on other hazards</b>	
<b>Endocrine disrupting properties</b>	This product contains components considered to have endocrine disrupting properties for environment, according to REACH Article 57(f), Regulation (EU) 2018/605 or Regulation (EU) 2017/2100.
<b>Other information</b>	No other specific acute or chronic health impact noted.

## SECTION 12: Ecological information

<b>12.1. Toxicity</b>	Based on available data, the classification criteria are not met for hazardous to the aquatic environment.
<b>12.2. Persistence and degradability</b>	No data is available on the degradability of this product.
<b>12.3. Bioaccumulative potential</b>	No data available on bioaccumulation.
<b>Partition coefficient n-octanol/water (log Kow)</b>	Not available.
<b>Bioconcentration factor (BCF)</b>	Not available.
<b>12.4. Mobility in soil</b>	The product is insoluble in water. Expected to have low mobility in soil.
<b>12.5. Results of PBT and vPvB assessment</b>	This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII.
<b>12.6. Endocrine disrupting properties</b>	This product contains components considered to have endocrine disrupting properties for environment, according to REACH Article 57(f), Regulation (EU) 2018/605 or Regulation (EU) 2017/2100.
<b>12.7. Other adverse effects</b>	None known.

## SECTION 13: Disposal considerations

<b>13.1. Waste treatment methods</b>	
<b>Residual waste</b>	Dispose in accordance with local regulations. Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner.
<b>Contaminated packaging</b>	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.
<b>EU waste code</b>	The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.
<b>Disposal methods/information</b>	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Porous combustible material contaminated with this product must be collected in a tightly closed metal container. Cover with water, or a solution of water and detergent. Store in a cool place. Protect from heat and direct sunlight.
<b>Special precautions</b>	Dispose in accordance with all applicable regulations.

## SECTION 14: Transport information

### ADR

<b>14.1. UN number</b>	Not regulated as dangerous goods.
<b>14.2. UN proper shipping name</b>	Not regulated as dangerous goods.
<b>14.3. Transport hazard class(es)</b>	
<b>Class</b>	Not assigned.
<b>Subsidiary risk</b>	-
<b>Hazard No. (ADR)</b>	Not assigned.
<b>Tunnel restriction code</b>	Not assigned.
<b>14.4. Packing group</b>	Not assigned.
<b>14.5. Environmental hazards</b>	No.



**14.6. Special precautions for user** Not assigned.

#### RID

**14.1. UN number** Not regulated as dangerous goods.

**14.2. UN proper shipping name** Not regulated as dangerous goods.

#### **14.3. Transport hazard class(es)**

**Class** Not assigned.

**Subsidiary risk** -

**14.4. Packing group** Not assigned.

**14.5. Environmental hazards** No.

**14.6. Special precautions for user** Not assigned.

#### ADN

**14.1. UN number** Not regulated as dangerous goods.

**14.2. UN proper shipping name** Not regulated as dangerous goods.

#### **14.3. Transport hazard class(es)**

**Class** Not assigned.

**Subsidiary risk** -

**14.4. Packing group** Not assigned.

**14.5. Environmental hazards** No.

**14.6. Special precautions for user** Not assigned.

#### IATA

**14.1. UN number** Not regulated as dangerous goods.

**14.2. UN proper shipping name** Not regulated as dangerous goods.

#### **14.3. Transport hazard class(es)**

**Class** Not assigned.

**Subsidiary risk** -

**14.4. Packing group** Not assigned.

**14.5. Environmental hazards** No.

**14.6. Special precautions for user** Not assigned.

#### IMDG

**14.1. UN number** Not regulated as dangerous goods.

**14.2. UN proper shipping name** Not regulated as dangerous goods.

#### **14.3. Transport hazard class(es)**

**Class** Not assigned.

**Subsidiary risk** -

**14.4. Packing group** Not assigned.

**14.5. Environmental hazards**

**Marine pollutant** No.

**EmS** Not assigned.

**14.6. Special precautions for user** Not assigned.

**14.7. Maritime transport in bulk according to IMO instruments** Not applicable.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulations

**Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended**  
Not listed.

**Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended**  
Not listed.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended**  
Nonylphenol ethoxylate (CAS 9016-45-9)

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended**  
Nonylphenol ethoxylate (CAS 9016-45-9)

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended**

Not listed.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended**

Not listed.

**Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended**

Nonylphenol ethoxylate (CAS 9016-45-9)

**Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA**

Nonylphenol ethoxylate (CAS 9016-45-9)

#### **Authorisations**

**Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorisation, as amended**

Nonylphenol ethoxylate (CAS 9016-45-9)

#### **Restrictions on use**

**Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended**

Nonylphenol ethoxylate (CAS 9016-45-9)

**Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.**

Not listed.

#### **Other EU regulations**

**Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended**

Not listed.

#### **Other regulations**

The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006, as amended.

#### **National regulations**

Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as amended.

#### **15.2. Chemical safety assessment**

No Chemical Safety Assessment has been carried out.

### **SECTION 16: Other information**

#### **List of abbreviations**

ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways.  
ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.  
AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert – Germany).  
CAS: Chemical Abstract Service.  
CEN: European Committee for Standardization.  
IATA: International Air Transport Association.  
IBC: Intermediate Bulk Container.  
IMDG: International Maritime Dangerous Goods.  
PBT: Persistent, bioaccumulative and toxic.  
MAC: Maximum Allowed Concentration.  
MARPOL: International Convention for the Prevention of Pollution from Ships.  
PBT: Persistent, bioaccumulative and toxic.  
RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.  
STEL: Short term exposure limit.  
TLV: Threshold Limit Value.  
TWA: Time Weighted Average.  
VLE: Exposure Limit Value.  
VME: Exposure Average Value.  
vPvB: Very persistent and very bioaccumulative.

#### **References**

HSDB® - Hazardous Substances Data Bank  
IARC Monographs. Overall Evaluation of Carcinogenicity

#### **Information on evaluation method leading to the classification of mixture**

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

#### **Full text of any H-statements not written out in full under Sections 2 to 15**

H315 Causes skin irritation.  
H319 Causes serious eye irritation.  
H335 May cause respiratory irritation.

#### **Training information**

Follow training instructions when handling this material.

**Disclaimer**

CMC Materials Val-Tex cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.